



SWISS MEDICAL  
NETWORK



# Dr. med. Peter Widler

Standort Leitung  
Facharzttitel FMH Innere Medizin

---

## Languages

DE

## Work Experience

since 2002  
2000–2002  
2000–2001  
1999  
1996–1999  
1995–1996  
1993–1995  
1991–1993

## Education

since 2001  
since 2000  
1998  
1995  
1994–1995  
1994  
1983–1990  
1986–1988

## Apprenticeship

since 2021  
since 2021  
1996–2001  
1992–1995  
1987–1991  
1988–1990

## Research

1993–1995  
1991–1993  
1991–1993

## Publications

- Widler P, Fisch HU, Schoch P, Zimmermann A, Schlaepfer T, Reichen J. Increased benzodiazepine-like activity is neither necessary nor sufficient to explain the acute hepatic encephalopathy in the thioacetamide-treated rat. *Hepatology*, 1993;18(6):1459-1464.
- Widler P, Fisch HU, Schoch P, Zimmermann A, Schlaepfer T, Reichen J. Increased benzodiazepine-like activity is neither necessary nor sufficient to explain the acute hepatic encephalopathy in the thioacetamide-treated rat. **Reply** to Basile A. *Hepatology*, 1994;20(2):543.
- Widler P, Fisch HU, Schoch P, Zimmermann A, Schlaepfer T, Reichen J. Increased benzodiazepine-like activity is neither necessary nor sufficient to explain the acute hepatic encephalopathy in the thioacetamide-treated rat. **Reply** to Gacad R. *Hepatology*, 1994;20(2):545-546.
- Widler P, Mathys K, Brenneisen R, Kalix P, Fisch HU. Pharmacodynamics and pharmacokinetics of khat: A controlled study. *Clinical Pharmacology and Therapeutics*, 1994;55(5):556-562.
- Kalix P, Mathys K, Brenneisen R, Widler P, Fisch HU. A clinical evaluation of the stimulant khat and of the khat alkaloid cathinone. *Fundamental and Clinical Pharmacology* 1993;7:336.
- Laederach K, Mussgay L, Büchel B, Widler P, Rüddel H. Patients with erythrophobia (blushing) show abnormal autonomic regulation in mental stress conditions. *submitted*.

## Abstracts

- Widler P, Fisch HU, Schoch P, Schlaepfer T, Zimmermann A, Reichen J. Are endogenous benzodiazepine receptor ligands relevant in the pathogenesis of hepatic encephalopathy ?J. *Hepatology* 1992;16 Suppl. 1:39.
- Widler P, Fisch HU, Schoch P, Zimmermann A, Reichen J. Benzodiazepine receptor ligand activity (BZRLA) is increased in rats with hepatic encephalopathy (HE) only after diazepam p.o. 25th Annual Meeting of the Swiss Societies for Experimental Biology (USGEB/USSBE), University of Lausanne, Lausanne, 1993, March 25/26.
- Kalix P, Mathys K, Brenneisen R, Widler P, Fisch HU. A clinical evaluation of the stimulant khat and of the khat alkaloid cathinone. *Proceedings of the 55th Annual Scientific Meeting, National Institute on Drug Abuse*. 141, 1994, 373.
- Gerber M, Joyce CRB, Christen A, Dudle U, Duss I, Widler P, Fisch HU. Disulfiram administered by a trustee improves quality of life (QoL) in alcoholic outpatients. 20th Annual Alcohol Epidemiology Symposium of the Kettil Bruun Society for Social and Epidemiological Research on Alcohol, Rüslikon, June 6 -10, 1994.
- Gerber M, Joyce CRB, Christen A, Dudle U, Duss I, Widler P, Fisch HU. Disulfiram administered by a trustee improves quality of life (QoL) in alcoholic outpatients. 7th Congress, Association of European Psychiatrists, Copenhagen, 18 -22 September, 1994.

## Accreditation

[Ärztzentrum Schönburg](#)

[Ärztzentrum Bümpliz](#)

## Specialties

[General Internal Medicine](#)

[General medicine](#)

[General practitioner examination](#)

[Obesity and overweight](#)

[Gastroenterology and Hepatology](#)

## Contact

Spitalackerstrasse 22  
3013 Bern

[Download vCard](#)