



SWISS MEDICAL
NETWORK



Dr méd. Peter Widler

Standort Leitung
Facharzttitel FMH Innere Medizin

Langues

DE

Expérience professionnelle

Depuis 2002
2000-2002
2000-2001
1999
1996-1999
1995-1996
1993-1995
1991-1993

Formation

Depuis 2001
Depuis 2000
1998
1995
1994-1995
1994
1983-1990
1986-1988

Enseignement

Depuis 2021
Depuis 2021
1996-2001
1992-1995
1987-1991
1988-1990

Recherche

1993-1995
1991-1993
1991-1993

Publications

- Widler P, Fisch HU, Schoch P, Zimmermann A, Schlaepfer T, Reichen J. Increased benzodiazepine-like activity is neither necessary nor sufficient to explain the acute hepatic encephalopathy in the thioacetamide-treated rat. *Hepatology*, 1993;18(6):1459-1464.
- Widler P, Fisch HU, Schoch P, Zimmermann A, Schlaepfer T, Reichen J. Increased benzodiazepine-like activity is neither necessary nor sufficient to explain the acute hepatic encephalopathy in the thioacetamide-treated rat. **Reply** to Basile A. *Hepatology*, 1994;20(2):543.
- Widler P, Fisch HU, Schoch P, Zimmermann A, Schlaepfer T, Reichen J. Increased benzodiazepine-like activity is neither necessary nor sufficient to explain the acute hepatic encephalopathy in the thioacetamide-treated rat. **Reply** to Gacad R. *Hepatology*, 1994;20(2):545-546.
- Widler P, Mathys K, Brenneisen R, Kalix P, Fisch HU. Pharmacodynamics and pharmacokinetics of khat: A controlled study. *Clinical Pharmacology and Therapeutics*, 1994;55(5):556-562.
- Kalix P, Mathys K, Brenneisen R, Widler P, Fisch HU. A clinical evaluation of the stimulant khat and of the khat alkaloid cathinone. *Fundamental and Clinical Pharmacology* 1993;7:336.
- Laederach K, Mussgay L, Büchel B, Widler P, Rüddel H. Patients with erythrophobia (blushing) show abnormal autonomic regulation in mental stress conditions. *submitted*.

Abstracts

- Widler P, Fisch HU, Schoch P, Schlaepfer T, Zimmermann A, Reichen J. Are endogenous benzodiazepine receptor ligands relevant in the pathogenesis of hepatic encephalopathy ?J. *Hepatology* 1992;16 Suppl. 1:39.
- Widler P, Fisch HU, Schoch P, Zimmermann A, Reichen J. Benzodiazepine receptor ligand activity (BZRLA) is increased in rats with hepatic encephalopathy (HE) only after diazepam p.o. 25th Annual Meeting of the Swiss Societies for Experimental Biology (USGEB/USSBE), University of Lausanne, Lausanne, 1993, March 25/26.
- Kalix P, Mathys K, Brenneisen R, Widler P, Fisch HU. A clinical evaluation of the stimulant khat and of the khat alkaloid cathinone. *Proceedings of the 55th Annual Scientific Meeting, National Institute on Drug Abuse*. 141, 1994, 373.
- Gerber M, Joyce CRB, Christen A, Dudle U, Duss I, Widler P, Fisch HU. Disulfiram administered by a trustee improves quality of life (QoL) in alcoholic outpatients. 20th Annual Alcohol Epidemiology Symposium of the Kettil Bruun Society for Social and Epidemiological Research on Alcohol, Rüschiikon, June 6 -10, 1994.
- Gerber M, Joyce CRB, Christen A, Dudle U, Duss I, Widler P, Fisch HU. Disulfiram administered by a trustee improves quality of life (QoL) in alcoholic outpatients. 7th Congress, Association of European Psychiatrists, Copenhagen, 18 -22 September, 1994.

Accréditation

[Ärztzentrum Schönburg](#)

[Ärztzentrum Bümpliz](#)

Spécialités

[Médecine interne générale](#)

[Médecine générale](#)

[Examen du médecin généraliste](#)

[Obésité et Surpoids](#)

[Gastroentérologie et hépatologie](#)

Contactez-nous

Spitalackerstrasse 22
3013 Bern

[Téléchargez la vCard](#)