



SWISS MEDICAL  
NETWORK



# Dr. med. Peter Widler

Standort Leitung  
Facharzttitel FMH Innere Medizin

---

## Lingue

DE

## Esperienze professionali

dal 2002

2000-2002

2000-2001

1999

1996-1999

1995-1996

1993-1995

1991-1993

## Formazione

dal 2001

dal 2000

1998

1995

1994-1995

1994

1983-1990

1986-1988

## Apprenticeship

dal 2021

dal 2021

1996-2001

1992-1995

1987-1991

1988-1990

## Ricerca

1993-1995

1991-1993

1991-1993

## Pubblicazioni

- Widler P, Fisch HU, Schoch P, Zimmermann A, Schlaepfer T, Reichen J. Increased benzodiazepine-like activity is neither necessary nor sufficient to explain the acute hepatic encephalopathy in the thioacetamide-treated rat. *Hepatology*, 1993;18(6):1459-1464.
- Widler P, Fisch HU, Schoch P, Zimmermann A, Schlaepfer T, Reichen J. Increased benzodiazepine-like activity is neither necessary nor sufficient to explain the acute hepatic encephalopathy in the thioacetamide-treated rat. **Reply** to Basile A. *Hepatology*, 1994;20(2):543.
- Widler P, Fisch HU, Schoch P, Zimmermann A, Schlaepfer T, Reichen J. Increased benzodiazepine-like activity is neither necessary nor sufficient to explain the acute hepatic encephalopathy in the thioacetamide-treated rat. **Reply** to Gacad R. *Hepatology*, 1994;20(2):545-546.
- Widler P, Mathys K, Brenneisen R, Kalix P, Fisch HU. Pharmacodynamics and pharmacokinetics of khat: A controlled study. *Clinical Pharmacology and Therapeutics*, 1994;55(5):556-562.
- Kalix P, Mathys K, Brenneisen R, Widler P, Fisch HU. A clinical evaluation of the stimulant khat and of the khat alkaloid cathinone. *Fundamental and Clinical Pharmacology* 1993;7:336.
- Laederach K, Mussgay L, Büchel B, Widler P, Rüdell H. Patients with erythrophobia (blushing) show abnormal autonomic regulation in mental stress conditions. *submitted*.

## Abstracts

- Widler P, Fisch HU, Schoch P, Schlaepfer T, Zimmermann A, Reichen J. Are endogenous benzodiazepine receptor ligands relevant in the pathogenesis of hepatic encephalopathy ?J. *Hepatology* 1992;16 Suppl. 1:39.
- Widler P, Fisch HU, Schoch P, Zimmermann A, Reichen J. Benzodiazepine receptor ligand activity (BZRLA) is increased in rats with hepatic encephalopathy (HE) only after diazepam p.o. 25th Annual Meeting of the Swiss Societies for Experimental Biology (USGEB/USSBE), University of Lausanne, Lausanne, 1993, March 25/26.
- Kalix P, Mathys K, Brenneisen R, Widler P, Fisch HU. A clinical evaluation of the stimulant khat and of the khat alkaloid cathinone. *Proceedings of the 55th Annual Scientific Meeting, National Institute on Drug Abuse*. 141, 1994, 373.
- Gerber M, Joyce CRB, Christen A, Dudle U, Duss I, Widler P, Fisch HU. Disulfiram administered by a trustee improves quality of life (QoL) in alcoholic outpatients. 20th Annual Alcohol Epidemiology Symposium of the Kettil Bruun Society for Social and Epidemiological Research on Alcohol, Rüsclikon, June 6 -10, 1994.
- Gerber M, Joyce CRB, Christen A, Dudle U, Duss I, Widler P, Fisch HU. Disulfiram administered by a trustee improves quality of life (QoL) in alcoholic outpatients. 7th Congress, Association of European Psychiatrists, Copenhagen, 18 -22 September, 1994.

## Accreditamento

[Ärztzentrum Schönburg](#)

[Ärztzentrum Bümpliz](#)

## Specialità

[Medicina interna](#)

[Medicina generale](#)

[Visita del medico di base](#)

[Obesità e sovrappeso](#)

[Gastroenterologia ed epatologia](#)

## **Contatto**

Spitalackerstrasse 22  
3013 Bern

[Scaricare vCard](#)